TRACE ELEMENTS AND Pb ISOTOPE VARIATIONS IN GALENA FROM THE ONÇA GOLD DEPOSIT, MATO GROSSO, BRAZIL: FLUID MIXING FROM HYDROTHERMAL AND CRUSTAL SOURCES

M.C.Geraldes¹; L.A.Petronilho²; D.Silva³

PALAVRAS-CHAVE: gold, isotopes, mineral chemistry, hydrothermal solutions.

GERALDES, M.C. et al. (1996) Trace elements and Pb isotope variations in galena from the Onça gold deposit, Mato Grosso, Brazil: fluid mixing from hydrothermal and crustal sources. Bol.IG-USP. Ser. Clent., 27:81-98.

ABSTRACT

This study deals with the petrography of sulfides and quartz veins, Pb isotopes, major and trace elements in galena, microthermometry and Raman spectrometry of fluid inclusions, with the objective of delineating temporal and spatial sapects of the fluid circulation patterns during the origin of the Onça gold deposit, Mato Grosso State, Brazil.

The Pb isotope and mineral chemistry data indicate variable sources for the Pb isotopes, major (S and Pb) and trace elements (Sh, Ag. Zn and Se), with increases or decreases of the contents during the growth of the galena crystals. The results suggest that the variation may be due to the contamination of the hydrothermal solution by mixing with components derived from supracrustal host rocks of Pottes to Lacerda materiologia-sedimentary sequence.

The mineral chemistry and fluids inclusion studies suggest two possible sources for the hydrothermal solutions: (1) does poslutions: that originated during the regional metamorphian represented by the Agusper inestamorphia event where the solutions present aqueous-carbonic composition and low sailanty. Geologic centrol of the mineralization is in agreement with his pytothesis because the ore bodies are syntectionic with foliation formed during the Agusper event; (2) high contents of buse with this involved because resentative intrusion of the agusper content and agreement with this hydrothesis because resentative intrusion of was reproduced with the involved because the content of the co

The Pb isotope and fluid inclusion relations allows the conclusions that the compositions of the hydrothermal solutes were variable during the emplacement of the quartz veints and the growth of galena crystals. The earlier solutes had hydrocarbons and were more radiogenic, whereas the later solutes had base metals and were less radiogenic.

The Onça deposit originated during a metamorphic event by the effect of hydrothermal solutions related to plutonism, and with an important contribution from the host rocks as recorded by the influence of isotope, major and trace element compositions on the growth of ore-forming minerals.

Instituto de Geociências/UNICAMP, São Paulo, Brasil. Actual address: Departamento de Geologia Geral, Instituto de Geociências/UNICAMP, São Paulo, Brasil. E-mail: megeral@sap.br ²Centro de Pesquisas Geocronológicas, Instituto de Geociências/USP, São Paulo, Brasil. ²PIMG. Instituto de Geociências/UNICAMP, São Paulo Pasail.

RESUMO

maiores e isótopos de Pée mg allen, microternomeria e espectrometria Rama inclusões de quartzo, elementos traços, maiores e isótopos de Pée mg allen, microternomeria e espectrometria Raman em inclusões fluidaco on o objetivo de delinear aspectos temporais e espaciais da circulação de fluidos durante a origem do depósito aurifero do Orac, Estado do Mato Grosso.

os isótopos de Pb e para elementos márces (Se Pb e a química mineral indicam uma fonte variável para os isótopos de Pb e para elementos maíores (Se Pb) e elementos trazos (Sb, Ag. Zn. e Se) com aumentos e diminuições nos seus conteúdos durante o crescimento dos cristais de galena de forma que esta variação pode ser resultados da contaminação da solução hidrotermal pelas rochas supracrustais enciatorates da

Sequência Metavulcano-sedimentar Pontes e Lacerda.

A quimica mineral e o estudo das inclusões fluidas sugerem dois tipos de fontes para as soluções hidrotemais: (1) soluções originadas em profundidade durante o metamorfismo regional representado pelo evento Aguapei, com soluções aquocarbônicas e de baixa salinidade, hipótese corroborada pela concordância dos corpos de minério com a foliação regional gerada por este evento; (2) altos valores de metais báscios indicam uma filipância palutinica as origem dos fluidos.

Or isótopos de Ple e os estudos de incluisões fluidas analisadas conjuntamente permitiem concluir que a composição das soluções hidrortemais formu variáveis durante o emplacement dos veios de quartzo e o crescimento dos cristais de galena. As soluções iniciais apresentam CH₁ na sucomposição e são mais radiogênicas. As soluções finais apresentam metais básicos em sua composição e

são menos radiogênicos.

Como conclusão é possível sugerir que o depósito do Onça foi originado durante um evento metamórfico por soluções hidrotermais com influência de plutonismo, com uma importante contribuição das rochas encaixantes na composição isotópica do Pb, nos elementos maiores e traços durante o crescimento dos minerais de minério.

INTRODUCTION

Pb isotope determinations in oreforming minerals are particularly useful when they can be directly combined with pertological, geochemical and fluid inclusions studies. In addition to dating of trace phases, radiogenic isotope study of ore deposits can potentially provide information on the source of solutes. Similarly, ore-forming mineral geochemistry and fluid inclusions may explicitly constrain the crustal or mantle reservoirs that are sampled by the oreforming system (DeWolf et al., 1993; Freis & Kamber, 1995).

Pb isotope source tracing relies on a number of assumptions, including: (1) measured or calculated initial ratios corresponding to the isotopic composition of the ore-forming hydrothermal system; (2) fluid signatures that accurately reflect the isotopic composition of the rock reservoir(s) sampled by the hydrothermal system, and (3) contemporanous intofpic ratios of all possible reserviors (Kerrich, 1991; Faure, 1994; Faure, 1994; Faure, 1994; Faure, 1994; Paure, 1994; Paure, 1994; Paure, 1994; Paure, 1994; Paure, 1994; Paure, 1995; Paure,

On the other hand, the Pb-isotopic data of ore-forming minerals may indicate derivation of mineralizing fluids associated with the hydrothermal circulation generated by local ignous bottler intruded during the ore-forming process (Dunne et al., 1991; Deloule et al., 1998). Most studies assume that mineral 1989) Most studies assume that mineral are isotopically homogeneous and may have some variations of enriched in managements.

diogenic Pb from U and Th radioactive decay (Yuxue et al., 1995). However Hart et al. (1981) demonstrated that galena may show concentric zonation of Pb isotopes with total variation of ±3% in 208Pb/204Pb and 4% in 206Pb/204Pb and the range in the observed Pb isotope ratios in the crystal is larger than that observed previously for bulk galena analysis from throughout the Mississippi Valley base metal deposits (Cannon et al., 1963). Pb isotope zoning in pyrite was also described in the literature (Raymond, 1996).

The application of major and trace element, and isotopic composition of galena and fluid inclusion data are useful in delineating temporal and spatial aspects of the fluid circulation patterns and are used here to interpret the origin of the Onça gold deposit, Mato Grosso State, Brazil.

GEOLOGIC SETTING

The gold deposits of the Pontes e Lacerda region are situated in the SW part of the Amazon Craton (Fig. 1) within the Aguapei-Sunsás mobile belt, a N-NW trending zone time-related to Grenvillian folded rocks (Fig. 2). Present knowledge about the evolution of the study area was done by Sadowski & Bettencourt (1996). The geological units which outcrop in the region include the Basal Complex granulites and gneissicmigmatitic rocks, probably correlated to the 1961 Ma old Lomas Maneches Granulite Complex (Litherland et al., 1989); the Pontes e Lacerda metavolcanic-metasedimentary sequence (MVSS) (1921 Ma, Geraldes et al., 1996a) probably equivalent to the Alto Jauru greenstone belt to the east of the study area (1988 Ma. Monteiro et al., 1986; Geraldes et al., 1996a); the Santa Helena granite gneiss (gneissification at around 1300 Ma. Menezes et al., 1993; Geraldes et al., 1996a): the Maraboa



Figure 1 - Localization of Onça Gold Deposit with regional geology.



Figure 2 - Tectonic model fit of the Laurentia Amazonia (Sadowiski & Bettencourt, 1996).

granite (1257 Ma, Geraldes et al., 1996a); the clastic metasedimentary rocks of the Aguapei Group which is equivalent to the Bolivian Sunsás Group (1300-950 Ma, Litherland et al., 1989) and, the Rio Cagado Suite of unknown age which outcrops concordantly with the Aguapei thrust zone and is considered to be syntectonic to the Aguapei-Sunsás event.

In the mineralized zones, hydrothermal processes provided enhanced concentrations of K₂O, F, Fe₂O, and IREE, and losses of CaO, MgO and FeO in the wallrocks. In general, these changes were related to a probable magmatic contribution to the fluids which is also suggested by positive Ce anomalies detected in some altered basalts (Geraldes & Figueiredo, 1996). Minor contents of Se in pyrite and, Ag and Bi in gold have been found (Figueiredo et al., 1996).

Most of the gold deposits lie along the tectonic contact between the metavolcanic-metasedimentary rocks (Fig. 3) and the Aguapeí metasedimentary rocks. Secondly, some gold deposits are hosted by clastic sedimentary rocks, schists and granitoids. Disseminated and vein controlled mineralization are commonly found in volcanic host rocks whereas sedimentary rock or granite hosted deposits are mainly formed by veins. The ore veins consist of quartz, pyrite and gold, and the hydrothermal alteration zones contain quartz, sericite, pyrite, and magnetite (altered to hematite). Chalcopyrite, galena and sphalerite only occur in the Onca Deposit.



Figure 3 - Schematic W-E profile of the Onça deposit. The vein is 8 to 10 meters thick and more or less 400 m in length. The mineralized vein show quartz, pyrite, chalcopyrite, sphalerite and gold.

The host rocks in the Onça Deposit (Fig. 2) comprise schists and quartzites of MVSS and the ore body is a vein 8 to 10 m thick about 400 m long with direction N20W/50°SW.

Sulfides and gold are concentrated in only two meters of hanging wall, where there are open pits and underground workings. The quartz vein carries sericite only at the contact with host rock and magnetite is absent.

ANALYTIC PROCEDURES

Three samples from the Onça deposit were chosen for Pb isotope analysis. The samples were crushed and sieved at 10 mesh, and the galena crystals were separated from quartz and others sulfides by hand-picking. Each sample is represented by well crystallized galena with cubic habit.

0.2 g of galena were digested in bot 1.0 N HCI during two hours and the solute was collected to separated lectures in the spectrometer. The residue was digested again in 2.5 N HCI during two hours (with heating) and the solute was collected. The last solids were tosultally digested in a 9.0 N HCI. The three solutes were then gently evaporated to dryness. The materials were loaded on rhenium filaments using the standard dryness. The intentigue and analyzed in a VG 354 solid-source mass secrementer at 1250 V°.

The international standards for Pb isotopes used during the laboratory are presented in Table 1 with their respective values obtained at the CPGeo.

Table 1 - International standards of Pb isotopes used in CPGeo-USP.

standards	²⁰⁶ Pb/ ²⁰⁴ Pb	²⁰⁷ Pb/ ²⁰⁴ Pb	²⁰⁸ Pb/ ²⁰⁴ Pb		
NBS981	16.9371	15.49175	36.7213		
NRS982	36 7390	17 19971	36 7449		

Thirteen samples of galena from the Onça deposit were cut and polished with alumina for petrographic analysis. The polished sections were carbon coated with Bendix/CVC for microprobe analyses. The CAMECA SX50 electronic microprobe, operated by the Instituto de Geociências-UnB (Universidade de Brasília), was used for analyses of one galena crystal chosen due to its well formed cubic habit and absence of inclusions. In the crystal fourteen points for the elements Zn, Pb, Cu, Fe, Bi, S, As, Ag, Te, Au and Cd were analyzed, using laboratory standards. Specific conditions of the microprobe were: acceleration potential 15 kV; current 26 mA: data collection time 5 or 10s and bean diameter 40 µ.

Fluid inclusions hosted in quartz grains obtained from the same samples where the galenas crystals were collected were studied. Thin section thickness was variable, in the range of 50µm to 150µm, because of the variations of the size of the quartz grains and the level of mylonitization of the grains and the influence of this in the size of the fluid inclusion

The microthermometry data were obtained in a Linkan TMSG-600 cooling/heating stage coupled to a JENA-POL-ZEISS microscope. The calibration curve was done with specific standards of the SYNFLINC. The doublepolished sections were then analyzed by Raman spectroscopy before the second phase of microthermometry (with temperature about 600°C) to avoid decrepitation of the fluid inclusions. This procedure allows the determination of the following phase transition temperatures: melting of CO2 (TfCO2), eutectic (TE), ice melting (TfH,O), melting of clathrate (Tfcl), CO2 homogenization (Thco2) and total homogenization (Tht).

Tfco, indicates the presence of others volatils phases, TR can indicate dissolved cations in the aqueous phase composition of the fluids. Tfcl and TfHOO provide information about the salinity of the liquid phase. Thoo, indicates the

density of the carbonic phase and Tht of fluids inclusions indicates a minimum trapping temperature.

The presence of CO2, CH4, N2 and H-S in fluids inclusions was checked using multichannel with a CCD T64000 JOBIN-YVON laser-Raman microprobe attached to a OLIMPICUS-BHS microscope and a video system. These analyses were made at the laboratory of Instituto de Geociências of UNICAMP. Specific conditions of this equipment were: Ar+ source laser with a wavelength of 514.5 nm (green), and 50 mW power during 300 sec. on the sample.

RESULTS AND DISCUSSION

Isotopic analyses

The results of nine analyses of three different samples of galenas are shown in Table 2, where ²⁰⁸Pb/²⁰⁴Pb, ²⁰⁷Pb/²⁰⁴Pb and ²⁰⁸Pb/²⁰⁴Pb ratios are separated in three different fractions obtained during the leaching (1.0, 2.5 and 9.0 N of HCl).

Pb isotope composition for galena from Onça deposit shows low variations from the core to the edge of the same crystal, and these results are not in agreement with the assumption that the crystal started its growth in the actual core and that took place essentially concentrically. When the Pb isotope compositions are plotted in the 207Pb/204Pb x 208Pb/204Pb graphic (Fig. 4) they form a linear trend (or mixing line described by Wilton, 1991; Bierlein et al., 1996). It is possible that the crystal growth rate was not constant with time, or that the depositing solution was not changing linearly with the time. An example of a similar conditions to the Onca deposit is described by Austin & Slawson (1961) that measured Pb isotopic variations in Hansonburg deposit (New Mexico) obtained in differents parts of galena crystals. The variation for 208Pb/204Pb and for 207Pb/204Pb is much higher than

Table 2 - Pb isotope results. Each sample was leaching with HCl 1.0 N, 2.5 N and 9.0 N. Following plumblumtectonics (Zartman & Doe, 1981) this results lie on the upper Crust curve and orogeno curve of Pb isotope evolution.

sample	²⁰⁸ Pb/ ²⁰⁴ Pb	²⁰⁷ Pb/ ²⁰⁴ Pb	²⁰⁶ Pb/ ²⁰⁴ Pb			
onca I (1.0 N)	36.646	15.606	17.585			
onça I (2.5 N)	36.375	15.499	17.584			
onca I (9.0 N)	36.440	15.523	17.498			
onca II (1.0 N)	36.463	15.552	17.675			
onca II (2.5 N)	36.403	15.528	17.657			
onca II (9.0 N)	36.760	15.638	17.734			
onca III (1.0 N)	36,551	15.562	17.677			
onca III (2.5 N)	36.434	15.539	17.660			
onca III (9.0 N)	36.433	15.539	17.668			
alginus all no sus l						
38 37.8 37.6	RESULTS AND	Strains to botton 2	moistless blott-			
Q 37.4		where the galerate opening were col- cated were studied. That section distan-				
8 36.6		the range of Julium				




Figure 4 - The results of ²⁰⁸Pb/²⁰⁴Pb ²⁰⁷Pb/²⁰⁴Pb display a linear trend within most of the galena crystals of Onça deposits. This trend is interpreted as due a variation in the hydrothermal composition.

the analytical error and must reflect the source region and/or the hydrothermal fluids heterogeneity that formed these mineralized weins. Hart et al. (1981) report Pb isotope variation within a crystal of galera with a range of 4.7% (20%Pb.20%Pb) and 2.9% (20%Pb.20%Pb) and 2.9% (20%Pb.20%Pb) and 2.9% (20%Pb.20%Pb). This way the total range of Pb isotope variation in the Missouri district deposit sa a whole in the range 5.9% (20%Pb.20%Pb) and 2.0% (20%Pb.20%Pb). This way the total range of Pb 20%Pb). In this way the total range of Pb

isotope ratios observed within the single crystals may be larger than that observed throughout the rest of the mine.

Two additional interpretations may explain changes in the isotopic composition of lead ores with continuing deposition.

The first suggests that radiogenic lead was probably collected as a contaminant by an isotopically homogeneous ore fluid when the fluids passed through the rock, intervened between the site of fluids that travel through a given fracture or similar permeable zone should extract relatively large quantities of radiogenic lead. Later fluids passing through the same conduits should encounter a decreasing amount of extractable radiogenic material adjacent to the fracture and thus show corresponding decreases in their radiogenic content as time progresses.

The second is based on the as-

sumption of an isotopically inhomogeneous source for the mineralizing solutions. Thus, when the ore solution leaves the source area, the readily mobilized radiogenic lead component leaves the source in the early solutions (because of its high mobility), and the radiogenic content of the ore solutions should again decrease with increasing time (Austine & Slawson, 1961).

Local variations in physicochemical conditions create scattered depositional sites, with some places where the content are shifted with time. Moreover, the entire favorable site was never fully permeated by ore-bearing fluids. Some areas may have been protected, as a result of sealing by early silica deposition. Other areas may have received only early solutions, and then have remained stagnant for long periods, receiving fresh ore solutions only intermittently, as early deposition would change the permeability of surrounding areas.

permeability of surrounting steess.

Although we cannot be confident about the significance of these relatively mail atotopic variations within a same carried out, the overall trend may be the result of either a mixing of two reservoirs or contamination by host rocks, as described by Changlackoi (1986) for the Great Bear Lake silver deposit. The high 20°Ph/20°Pb and 20°Pph/20°Pb ratios indicate a significant influence of old continental crust, i.e., Pb is totope ratios indicate a high U/Pb and low Th/Pb for the Pb source, such as the upper crust,

before incorporation in galena crystals.

The Pb contamination of the fluids at the crustal stage may have taken place either when the hydrothermal solution originated from an intermediate magma (Rio Cagado suite), or from deep fluids of a regional metamorphism (Aguapei event) pervading the supracustal hosts (MVSS). This suggests at least two or more stages for the lead incomper evolution (Statecy & Kramers, Stopper evolution (Statecy & Kramers, Lagrana & Haines, 1988), including the Sunsés/Aruatel crooseny.

Petrography and trace elements analvsis

Macroscopically, the ore of Pontes e Lacerda gold district consists mainly of pyrite, but petrographic study reveals two sulfide parageneses. The first one presents only pyrite and gold; the second presents mainly pyrite and small amounts of calcopyrite, galena, sphalerie and gold. These minerals present textures of intergrowth indicating hydrothermal source origin, characterized by the intergranular surfaces formed during the temperature decreases.

The polymetallic paragenesis was observed only in the Onga deposit and is composed of pyrite (90%), chalcopyrite (60%), galena (2%) and sphalerite (2%). Pyrite occurs as subhedrals grains intergrown with chalcopyrite. Grains of chalcopyrite, galena, sphalerite occur in the interior and at the edge of pyrite.

Galena occurs smaller as blebs in the cores, or as larger better-formed crystals at the borders of pyrite grains. It is also observed as rims involving pyrite grains or, in one case, as fracture filling of pyrite.

The analytical results of the chemical composition of the galena is presented in Table 3. This grain was chosen due its euhedral habit and the absence of inclusions. The results of the cross section of the analyzed elements

Table 3 - Mineral chemistry results in galena cross-section from Onça deposit (0=not detected

points	1	2	3	4	5	6	7	8	9	10		12	13	14
elem.	% wt	% WE	% wt	% wt	96 wt	96 wt	96 wt	% wt	% wt	% wt	% wt	% wt	% wt	% wt
Zn	0	0.04	0	0.01	0.05	0	0.06	0.24	0.04	0.08	0.39	1.23	1.12	1.12
Pb	86.2	86.1	85.8	86.2	86.1	85.8	85.9	85.8	86.1	86.6	86.3	86.8	86.1	87.1
Cu	0	0	0.1	0.07	0	0	0	0.04	0	0	0	0	0	0
Fe	0.03	0.04	0	0.03	0.01	0.01	0.01	0	0	0.31	0.03	0	0.05	0.05
Bi	0	0	0	0		0	0	0	0	0	0	0	0	0
S	13	13	13.2	13.1	13.2	13	12.8	12.8	12.9	13.1	13.1	13.2	13	13.3
As	0.06	0	0	0.01	0	0	0.02	0	0	0	0	0	0.03	0.03
Sb	0	0.11	0.15	0.04	0.18	0	0.02	0	0.03	0	0.05	0.07	0.05	0.05
Ag	0	0.08	0.1	0.05	0.08	0.04	0.12	0.08	0	0.04	0	0.04	0.02	0.02
Se	0.52	0	0	0		0.09	0	0.02	0.11	0.06	0	0.13	0.28	0.28
Te	0.04	0	0.08	0	0	0.07	0.02	0.05	0.03	0.06	0.06	0.01	0.01	0.01
Au	0	0.07	0.03	0	0.06	0.06	0.01	0.01	0.06	0	0	0	0.03	0.03
Cd	0	0.05	0.18	0.16	0.27	0	0.19	0.25	0	0.09	0.02	0	0.27	0.27
total	99.8	99.5	99.6	99.7	100	99.1	99.2	99.3	99.3	100	100	101	101	102
	% at.													
Zn	0	0.08	0	0.02	0.09	0	0.11	0.45	0.08	0.14	0.71	2.21	1.99	1.99
Pb	50.2	50.5	49.8	50.2	49.8	50.4	50.7	50.5	50.6	50.1	50	49.2	48.8	48.8
Cu	0	0	0.18	0.13	0	0	0	0.07	0	0	0	0	0	0
Fe	0.07	0.08	. 0	0.07	0.01	0.02	0.02	. 0	. 0	0.67	0.06	0	0.1	0.1
Bi	0	0	0	0	0	0	0	0	0	0	0	0	0	0
S	48.8	49.1	49.5	49.3	49.4	49.3	48.8	48.5	49	48.8	49.1	48.3	48.3	48.3
As	0.09	0	0	0.02	0	0	0.02	0	0	0	0	0	0.05	0.05
Sb	0	0.11	0.15	0.04	0.18	0	0.02	0	0.03	0	0.05	0.07	0.05	0.05
Ag	0	0.09	0.11	0.05	0.09	0.04	0.13	0.09	0	0.04	0	0.05	0.02	0.02
Se	0.8	0	0	0	0.11	0.14	0	0.03	0.17	0.09	0	0.19	0.41	0.41
Te	0.04	0	0.08	0	0	0.06	0.04	0.05	0.03	0.06	0.06	0.01	0.01	0.01
Au	00	0.04	0.02	0	0.04	0.03	0.01	0.01	0.04	0	0	0	0.02	0.02
Cd	0	0.05	0.19	0.17	0.29	0	0.2	0.27	0	0.1	0.02	0	0.28	0.28

from the core to the edge are shown in two columns as wt % and atom % in Figure 5 and Figure 6.

Both Figures 5 and 6 show the major element zoning (lead and sulfur) and trace element zoning (antimony, silver, zine and selenium). Pb and S composition present the same pattern in the cross-section, with increasing in wt % contents from the core to the edge and decreasing in atom %. In the core to the cystal the Pb present an average of the crystal the Pb present an average of the systal the stoichlometric PbS values (86.6% and 13.4%, respectively). Going towards the edge, the concentrations of

both elements are close to PbS stoichiometric values. In this way, the values of Pb in atom % increases, whereas for S these values decrease from the core to the edge of the galena crystal.

The positive variation of Pb % wt concentration from the core to the edge of galena crystal may be explained by decrease of Sb and Ag contents (Sharp & Buseck, 1993; Sharp et al., 1990). Both elements replace Pb in the galena lattice, and if silver is present, to a almost pure PbS (Foord et al., 1988, Pring & Willians, 1994). The positive variation of S atom %, values from the




Figure 5 - Chemical variations from the core to the edge of the galena. First column graphs are in wt %. Second column graphs are in atom %. See text for discussion.

core to the edge of galena crystals may result from the increase of Se contents, which usually replace S in the PbS-PbSe-PbTe series (Cabri et al., 1985; Liu & Chang. 1994).

Increasing contents of Zn wt % and atom % may be due to the presence

of microscopic sphalerite inclusions within the grains of galena detected by the microprobe but not detected by microscopy. ZnS crystallizes later than PbS, and possibly only after a decrease in temperature or due to a variable source. ZnS crystals are observed in




Figure 6 - Chemical variations from the core to the edge of the galena. First column graphs are in wt %. Second column graphs are in atom %. See text for discussion.

polished sections forming small grains or blebs within or at the edge of the pyrite crystal, suggesting that the appearence of ZnS is due to exsolution during a temperature decrease.

On other hand, the assumption that Sb and Ag replace Pb at relatively

high temperatures, and that with de creasing temperature this replacement becomes difficult (as described by Newberry et al., 1991), is not convincing in this case, because the same decrease of temperature would tend to decrease the Se contents replacing S (Fig. 4). The variation evidently resulted from progressive changes in the chemical composition of the ore-forming fluid due, as with the isotopes, to changes in the source of these solutes and/or to the changes in the host contribution. Simon et al. (1994) showed substitution of As for Sb, and chemical zonation suggesting rapid changes in the chemistry of the mineralizing fluids of Sacarimb deposit, Romania, but these changes were not observed here (Fig. 5).

Cu, Fe, Te, Au and Cd have no concentrate variations in the galena cross section, probably due to the constant source of the hydrothermal solute contents for these elements

Fluid inclusion study

Fluid inclusion data were obtained by microthermometry and laser-Raman spectroscopy. Petrographic study of quartz veins (galena grains host) allowed the definition of distinct fluid patterns (types) between samples of mineralized and barren veins (see Fig. 3) of the Onca deposit.

The samples of the barren or poorly mineralized vein have white quartz, rarely vellow or pink, of milky brightness in centimetric grains with uniform extinction. The fluid inclusions observed are 20 to 40 um in size with randon three-dimensional or isolated distributions. At room temperature, the fluid inclusions have two liquid phases (H2O and CO2) and CO2 gas, and the liquid/gas ratios are in the range of 0.6 to 0.01. The main shape of these fluid inclusions is elongated and sometimes irregular .

The samples collected in the mineralized vein present colorless small crystals of strongly recrystallized quartz. These crystals have uniform extinction, and their fluid inclusions have the same characteristics as the fluid inclusions of the barren portion of the vein.

In both mineralized and barren

veins secondary trails of aqueous fluid inclusions, 10 to 40 µm in size, with irregular shapes and two phases (liquid and vapor) were observed. Other secondary families of small (5 to 10 µm) aqueous fluid inclusions were observed in the form of trails. Both secondary trails of fluid inclusions crosscut the quartz crystal boundaries in the mineralized portion of the vein, and these were formed apparently after three-phase fluid inclusions. These fluid inclusions were analyzed only to obtain their ice melting temperature (Tf_{H2O}), yielding values between -0.7 to -0.3°C, indicating very low salinity and possible meteoric origin. Petrography and fabric suggest (trail fluid inclusions crossing the mineralized and barren portion of the veins) they have no relation to the mineralizing solutions.

The microthermometric results of the three-phase fluid inclusions, due their possible relationship with the gold transport and deposition, are presented in Figures 7 and 8. The barren vein three-phase fluids inclusions exhibit melting temperature of solid CO2 (Tfco,) between -56.5 and -57.5 °C. The clathrate melt temperature (Tfc) was between 7.5 e 10.5 °C. Homogenization temperature of CO2 (Thco2) vary from 23.0 to 30.0°C. Total homogenization temperatures (Tht) vary from 200 to 310°C, and the homogenization may occur to a vapor phase or to a liquid phase.

In the mineralized vein the fluid inclusions present melting temperature of solid CO2 (Tfco2) slightly above the respective Tfco, of barren portion of the vein, between -56.5 and -57.0°C. These fluids inclusions exhibits Tfcl between 6.0 e 10.0°C. Homogenization temperature of CO2 vary from 24.0 to 30.0°C. Tht occur in the range 220 to 300°C and also may occur either to vapor or to liquid phase.

The Raman spectra of fluid inclu-




Figure 7 - Microthermometry results of fluid inclusions. (Upper) The most barren vein fluid inclusion represent $T_{\rm EO_2}$ between 0.5 and 7.5°C clust T_2 between 1.05 and 7.5°C (cluster). The most internalized vein fluid inclusions present $T_{\rm EO_2}$ between -56 and -57°C and $T_{\rm E}$ between 10.5 and 6°C (n = number of fluid inclusions).




Figure 8 - Microthermomatry results of fluid inclusions. (Upper) barren vein fluid inclusion presents T_{bCD2} between 23 and 30°C and T_{bb} between 310 and 200°C (Lower). Mineralized vein fluid inclusions presents T_{bCD2} between 24 and 30°C and T_b between 300 and 220°C (n = number of fluid inclusion).

sions from the barren and mineralized portions of the vein are shown in Figure 9. The main difference between the two spectra of the related fluid inclusions is the lack of CH4 peak in the fluid inclusion of the mineralized vein, in agreement with the microthermometry results, i.e., the melting temperature of solid CO₂ below -56.6°C, which individually the compact of the compa




Figure 9 - Raman spectra of the fluid inclusions from the barren portion indicate the presence of CO_2 and CH_4 (upper) and from the mineralized portion indicate only CO_2 (lower) in the volatile fases. Area A was used to calculate % mol of CH_4 .

Calculations of the salinity of both types of vein fluid inclusions were based on the melting points of clathrate (CO₂H₂O-NaCl model Collins, 1979), and these scatter in the range 0.5 to 8.7, wt % equivalent of NaCl (Fig. 10). Salinities calculated from ice-melting temperature are expected to be higher because of the capture of a part of the water by clathrate.




Figure 10 - According to this graph the salinity of fluid inclusions is between 0.5 and 8.7 wt% equivalent of NaCl (adapted from Collins, 1979).

The existence of one aqueous liquid phase (one liquid and other gaseous) with different filling ratios suggests that the trapping of the hydrothermal solutes occurred at an ubmongeneous stage due probably to immiscibility of original fulfi. This process is described by several authors (see experimental data by Sondergeld & Lurcotte, 1979) as being responsible for the instability of the and their deposition. The content of the content of

Sulfides in the ore indicate the presence of S in the original hydrothermal solutes, notwithstanding laser-Raman spectroscopy detected only CO₂ in the composition of fluid inclusions of mineralized portion of the vein (Fig. 8). This probably resulted by the reaction of all S available on because very low concentrations of H₂S and HS. The contents of H₂S and HS. The detection limit. In the barren portion of the vein, CH₄ contents (calculated using the area An Fig. 8) yielded average values of 8 mole % in the fluids inclusions and the N₂ content being negli-clusions and the N₂ content being negli-

being negligible. This composition suggest that the metals transport may be occur by (HS)2 and/or Au[R2(NCS2)]2 complexes, where R = C2H5 or C3H7.

The presence of CH4 in the barren portion of the vein is not in agreement with the results in literature. Usually this gas is related to formation of mineralizing hydrothermal solutes, because of its capacity to transport metals (including Au) through ionic complexes. In adition, the presence of CH4 may either enhance immiscibility or the O2 fugacity of the fluid.

The physical continuity and interdigitation of both portions (mineralized and barren) suggest a continuous emplacement, supported by the presence of the fluid inclusions with same shape and distribution and same total temperature of homogenization. The petrographic characteristics of both portions indicate the following events events:

(1) emplacement and crystallization of all the quartz vein, with trapping of a CH4-bearing fluid inclusion in

boiling process:

(2) the mineralized portion passes by a process of fracturing and cominuition of quartz, following a recrystallization of the quartz in small crystals, in which the original fluid inclusions were preserved. This cataclastic process resulted in better permeability of the rock and allowed the percolation of end-term solutes, enriched in rare metals and deposition of Fe, Cu, Pb and Zn sulfides and gold.

CONCLUSIONS

Petrographic study. Pb isotope. microprobe, microthermometry and Raman spectrometry allows the interpretation of the evolution, origin and relationship between the mineralized and barren portions of the vein from the Onca gold deposit.

The Pb isotope-mineral chemistry

allows the identification of a variable source for the Pb isotopes, major elements (S and Pb) and trace elements (Sb, Ag, Zn and Se) with increasing or decreasing of the contents during the growth of galena crystals. The result analysis suggests that the variation may be due to the contamination of the hydrothermal solution by mixing with supracrustal rocks of MVSS.

The mineral chemistry-fluid inclusions point to two possible sources

for the hydrothermal solutions:

(1) deep solutions that originated during the regional Aguapei/Sunsás metamorphic event where the solutions present aqueous-carbonic compositions and low salinity. Geologic control of the mineralization is in agreement with this hypothesis because the ore bodies are syntectonic with the foliation formed during the Aguapeí event.

(2) high contents of base metals indicate a plutonic source influence in the origin of the fluids. Geologic controls are also in agreement with this hypothesis, because the presence of intruded pegmatites in agreement with

the mineralizing event.

The Pb isotope-fluid inclusions relations leads us to conclude that the composition of the hydrothermal solutes changes during the emplacement of the quartz veins and the growth of galena crystals. The earlier solutes had a hydrocarbon in their composition and were more radiogenic. The later solutes had base metals in the composition and were less radiogenic.

In conclusion, we suggest that the Onça gold deposit originated by hydrothermal solutions during a metamorphic event with the influence of acid plutonism. These solutes have had an important influence from the host rock for isotope compositions, as well as major and trace elements for the growth of ore-forming minerals.

ACKNOWI FDGE

M.C. Geraldes thanks to FAPESP grants no 94/6122-8. This work is a contribution to IGCP 342 project.

REFERENCES

- AUSTIN, C.F.; SLAWSON, W.F. (1961) Isotopic analyses of single galena crystals: a clue to history of deposition. The American Mineralogist, v.46, p.1132-1140.
- BURROUS, R.C. (1981) Analysis of phase equilibria in C-O-H-S fluid inclusions. In: HOLLISTER, L.S.; CRAWFORD, M.I. (eds.) Fluid inclusions: applications to petrology. Calgary, Mineralogical Association of Canada, p.39-74. (Short Course Handbook, v.6).
- CABRI, L.J.; CAMPBELL, J.L.; LAFLAMME, J.H.G.; LEIGH, R.G.; MAXWELL, J.A.; SCOTT, J.D. (1985) Proton-microprobe analysis of trace elements in sulfides from some massive-sulfide deposits. The Canadian Mineralogist, v.23, p.133-148.
- CANNON, R.S.; PIERCE, A.P.; DELE-VAUX, M.H. (1963) Lead isotope variation with growth zoning in a galena crystal. Science, v.142, n.3592, p.574-576.
- COOLINS, (1979) Gas hydretes in CO₂-bearing fluid inclusions and the use of freezing data for estimative of salinity. Economic Geology, v.74, n.6, p.1435-1444.
- CROCETTI, C.A.; HOLLAND, H.D.; McKENNA, L.W. (1988) Isotopic composition of lead in galenas from the Viburnum Trend, Missouri. Economic Geology, v.83, p.55-376.
- CUMMING, G.L.; RICHARDS, J.R. (1975) Ore lead isotope ratios in a continuously changing earth. Earth and Planetary Science Letters, v.28, n.2, p.155-171.

- DELOULE, E.; GARIÉPY, C.; DU-PRÉ, B. (1989) Metallogenesis of the Abitibi greenstone belt of Canada: a contribution from the analysis of trace lead in sulfide minerals. Canadian Journal of Earth Science, v.26, n.1-2, p.2529-2540.
- DeWOLF, C.P.; BELSHAW, N.; NIONS, R.K. (1993) A metamorphic history from micron-scale 200 Pb. Devorometry of archean monazite. Earth and Planetary Science Letters, v.120, n.3-4, p.207-220.
- DOE, B.R.; DELEVAUX, M.H. (1973)
 Variations in lead isotopic compositions in Mesozoic Grantite Rocks of
 California: a preliminary investigation. Geological Society of American Bulletin, v.84, n.11, p.35133526
 - JUANE, M.J.; KRUGER, F.J.; ROB-ERTS, P.J.; SMITH, C.B. (1991) Pb and Sr isotope and origin of proterozoic base metal (fluorite) and gold deposits, Transvaal Sequence, South Africa. Economic Geology, v.86, n.7, p. 1491-1505.
- ERKHÔF, Van Der A.M. (1988) Phase transitions and molar volumes of CO₂-CH₄-N₂ inclusions. **Bulletin de Minéralogie**, v.111, n.3-4, p.257-266.
- FAURE, G. (1986) Principles of isotope geology. New York, John Wiley & Sons. 589p.
- FIGUEIREDO, B.R., GERALDES, M.C.; EBERT, H.D. (1996) Gold deposits in the Pontes e Lacerda region, SW of Amazon Craton, MT. In: CONGRESSO BRASILEIRO DE GEOLOGIA, 39., Salvador, 1996. Anais. Salvador, SBG-BA. v.7, p.195-198.
- FOORD, E.E.; SHAWE, D.R. (1988) Coexisting galena, PbS and sulfosalts: evidence for multiple episodes of mineralization in the Round Mount and Manhattan gold districts,

Nevada. Canadian Mineralogist

v.26, p.355-376.

FÖRSTÉR, B.; PLIMER, I.R.; BIER-LEIN, F.P.; HAACK, U. (1996) Lead isotope study on hydrothermal sulfide mineralisation in the Willyama Supergrouv Olary Block, South Australia. Au alian Journal of Earth Sciences, v4.3, p.177-187.

Earth Sciences. v.43, p.177-187. FREI, R.; KAMBER, B.S. (1995) Single mineral Pb-Pb dating. Earth and Planetary Science Letters. v.129.

n.1-4, p.261-268.

GERALDES, M.C.; FIGUEIREDO, B.R. (1996) A alteração hidrotermal nas rochas metavulcánicas associadas à mineralização aurifera da região de Pontes e Lacerda, MT. Geochimica Brasiliensis. In print.

GERALDES, M.C.; TOLEDO, F.; FIGUEIREDO, B.R.; TASSINARI, C.C.G. (1996a) Contribuição à geocronologia do SW do Cráton Amazônico. In: CONGRESSO BRASI-LEIRO DE GEOLOGIA, 39., Salvador, 1996. Anais. Salvador, SBG-

BA, v.6, p.554-557.

GERALDES, M.C.; FIGUEIREDO, B.R.; TASSINARI, C.C.G. (1996b) K/Ar and Pb/Pb isotopes studies of gold deposits in Pontes e Lacerda region, SW of Amazon Craton, Brazil. In: CONGRESSO BRASILEIRO DE GEOLOGÍA, 39, Salvador, 1996. Anais. Salvador, SBG-BA. v.7, p.310-313.

GKAKOTI, A.; GHOSH, D.K.; KRSTIC, D.; GRAY, J.; MORTON, R.D. (1986) Pb and Sr isotope compositions of hydrothermal minerals from the Great Bear Lake Silver deposits, N.W.T., Canada. Economic

Geology, v.81, p.739-743.

HART, S.R.; SHIMIZU, N.; SVER-JENSKY, D.A. (1981) Lead isotopic zoning in galenas: an ion microprobe study of a galena crystal from the Buick Mine, Southeast Missouri. Economic Geology, v.76, n.7. p.1873-1878.

KERRICH, R. (1989) Geochemical evidence on source of fluids and solutes for shear zone hosted mesothermal gold deposit. In: BURSHAL, J.T. (cd.) Mineralization and shear zones. Canada G.A.C. (Short

Courses Notes, v.6)

LITHERLAND, M.; ANNELS, R.N.;
DARBYSHIRE D.P.; FLETCHER, C.I.N.; HAWKINS, M.P.;
KLINK, B.A.; MITCHEL, W.I.;
O'CONNORS, E.A.; PITFIELD,
P.E.J.; POWER, G.; WERB, B.C.
(1989) The Proterozoic eastern Bolivia and its relationship to the Andean
mobile belt. Precambrian Research, v.43, n.3, p.157-187.

LIU, H.; CHANG, L.L.Y. (1994) Phase relations in the system PbS-PbSe-PbTe. Mineralogical Magazine.

v.58, n.393, p.567-578.

LOPES Jr., I. (1993) Geoquímica. In: MENEZES, R.G. (org.) Programa levantamentos geológicos básicos do Brasil. Pontes e Lacerda (folha SD.21-Y-C-II), Estado do Mato Grosso: texto explicativo. Brasília, CPRM/DNPM, p.75-84.

MARTARELLI, L.; FERRINI, V.; MASI, U. (1995) Trace-element evidence for the genesis of the pyrite vein deposit of Campiano (southern Tuscany, Italy). Mineralogy and

Petrology, v. 64, p. 349-366.

MENEZES, R.G. (1993) Metalogenia.

In. MENEZES, R.G. (org.) Programa levantamentos geológicos básicos do Brasil. Pontes e Lacerda (folha SD.21-Y-C-II), Estado do Mato Grosso: texto explicativo. Brasília, CPRM/DNPM. p. 111-118.

MONTEIRO, H., MACEDO, P.M., SILVA, M.D., MORAES, A.A., MARCHETO, C.M.I. (1986) O greenstone belt do Alto Jauru. In: CONGRESSO BRASILEIRO DE GEOLOGIA, 34., Goiânia, 1986. Anais Goiânia, SBG. v.2. p.630646

NEWBERRY, R.J.; EINAUDI, M.T.; EASTMAN, H.S. (1991) Zoning and genesis of the Darwin Pb-Zn-Ag Skarn deposit, California: a reinterpretation based on new data.

terpretation based on new data.

Economic Geology, v.86, p.960-982.

PEUCKER-EHRENBRINK, B.; HOFMANN, A.W.; HART, S.R. (1994)

Hydrothermal lead transfer from
mantle to continental crust: the role
of metalliferous sediments. Earth

and Planetary Science Letters, v.125, p.129-142.

PRING, A.; WILLIAMS, T.B. (1994) A HRTEM study of defects in silverdoped galena. Mineralogical Magazine. v.58, p. 455-459

RAYMOND, O.L. (1996) Pyrite composition and ore genesis in the Prince Lyell copper deposit, Mt Lyell mineral field, western Tasmania, Australia. Ore Geology Reviews, v. 10, p.

231-250.

SADOWSKI, G.R.; BETTENCOURT, J.S. (1996) Mesoproterozoic tectonic correlations between eastern Laurentia and western bordes of the Amazon Craton. Precambrian Research, v.76, p.213-228.

SAES, G.S.; FRAGOSO CESAR, A. R.S. (1996) Acresção de terrenos Mesoproterozóicos no SW da Amazônia. In: CONGRESSO BRASI-LEIRO DE GEOLOGIA, 39., Salvador, 1996. Anais. Salvador. SBG-BA. v.6, p.69-71.

SHARP, T.G.; BUSECK, P.R. (1993)
The distribution of Ag and Sb in galena: inclusions versus solid solution. American Mineralogist, v.78,

p.85-95.

SHARP, T.G.; ZHENG, N.J.; TSONG, I.S.T.; BUSSECK, P.R. (1990) Scanning tunneling microscopy of defects in Ag- and Sb-bearing galena. American Mineralogist, v.75, p.1438-1442.

SIMON, G.; ALDERTON, D.H.M.;

BLESERT, T. (1994) Arsenian nagyagite from Sacarimb, Romania: a possible new mineral species. Mineralogical Magazine, v.58, p.473-478

STACEY, J.S.; KRAMERS, J.D. (1975) Approximation of terrestrial lead isotope evolution by a two-stage model. Earth and Planetary Science Letters, v.26, p.207-221.

SONDERGELD, C.H.; LURCOTTE, D.L. (1979) A laboratory study of mineral deposition in a boiling environment. Economic Geology, v.74, p.109-115.

SUNDBLAD, K.; CUMMING, G.L.; KRSTIC, D. (1991) Lead isotope evidence for the formation of epithermal gold quartz veins in the Chortis Block, Nicaragua. Economic Geolosv. v.86. p.44-959.

TASSINĀRI, C.C.G.; BARBOUR,
A.P.; DAITX, E.C.; SATO, K.
(1990) Aplicação dos isótopos de
Pb e Sr na determinação da natureza
das fontes das mineralizações de
chumbo do vale do Ribeira - SP e
PR. In: CONGRESSO BRASILEIRO DE GEOLOGIA, 36. Natal.

1990. Anais. Natal. SBG. v.3.

p.1254-1266.

WILTON, D.H.C. (1991) Metallogenic and tectonic implications of Pb isotope data for galena separates from the Labrador Central Mineral Belt. Economic Geology, v.86, p.1721-1736.

YUXUE, Z.; SHUXUN, S.; MIAO-YUN, Z. (1995) The Chahe copper deposit - Its age and genesis. Chinese of Geochemistry, v.14, p.128-133.

ZARTMAN, R.E.; DOE, B.R. (1981) Plumbotectonics - The model. Tectonophysics, v.75, p. 135-162.

ZARTMAN, R.E.; HAINES, M. (1988) The plumbotectonic model for Pb isotopic systematics among major terrestrial reservoirs - A case for bidirectional transpost. Geochimica et Cosmochimica Acta, v.52, p.13271339

M.C.Geraldes - Instituto de Geociências, Universidade de São Paulo, Caixa Postal 11.348, CEP 05422-970, São Paulo, SP, Brasil.

> Recebido 02/10/96 Aprovado 28/11/96